Semi Automatic Water Level Controller
MODEL NO: NWLC-A44



Model No-NWLC-A44

Features:

- ✓ Semi Automatic Controller ,Micro Controller Based Design ,Power Failure protection.
- ✓ To Operate As Semi Automatic with 2HP capacity.
- ✓ Longer Life No Mechanical System /.Avoid Overflow.
- ✓ Saves Electricity, save water. 1 Year Warranty.

Specifications:

- ✓ Operating voltage 220-250 AC.
- ✓ Frequency 50 Hz.
- ✓ Load capacity each switch (2 HP)
- ✓ Suitable for Start Stop Starter panel.

Package Contains:

1 Water Level Controller Unit, 2 S S Sensors with 1.5 meter wire, 1 user manual with technical details.

WORKING:

This controller will start the motor by pressing the start button of the controller and it will automatically switch OFF the Motor, when the tank will full. Users can press the start button at any time they want.User can also press stop button to stop the motor.

Suitable for 0.1 HP to 2.0 HP Motor.
Supply Voltage : 190-270 VAC.
Relay : 30 A

Sensing element : S.S sensor, it is free from oxidation, long life. Any conducting wire can be used for sensor.

This model is suitable for any single phase MCB type starter panel or mono block sumpump.

Power ON & OFF LED indication provided.
Also enclosure compact size provided. high quality ABS ON & OFF indication.

Neotronix Smart Technologies

Supported & Non supported
water pump starter


MCB TYPE STARTER


SUMP PUMPS



MOMOBLOCK PUMPS


CONTACTOR TYPE
SUBMERSIBLE STARTER


DOL STARTER


STAR DELTA STARTER

INSTALLATION DIAGRAM:



Neotronix
Smart Technologies

Contact Us:

Nex-Tower, Okhla, New Delhi - 110025
Mob: +91- 9958502987
E-mail: connect@neotronixai.com