
Neotronix Semi Automatic Water Level Controller Model No. NWLC-A33



Model No-NWLC-A33

Features:

- ✓ Semi Automatic Controller ,Micro Controller Based Design ,Power Failure protection.
- ✓ To Operate As Semi Automatic with 5 HP capacity.
- ✓ Longer Life No Mechanical System /.Avoid Overflow.
- ✓ Saves Electricity, save water. 1 Year Warranty.

Specifications:

- ✓ Operating voltage 220-250 AC.
- ✓ Frequency 50 Hz.
- ✓ Load capacity each switch (5 HP)
- ✓ Suitable for Start/Stop Starter panel.

Package Contains:

SEMI AUTOMATIC WATER LEVEL CONTROLLER WITH INDICATOR AND 2 SS SENSOR FOR UPPER TANK.

WORKING:

This controller will start the motor by pressing the Starter Panel start button and the Motor will automatically switch OFF once the tank is full.
Users can press the start button at any time they want. User can also press stop button to stop the motor.

Suitable for 0.1 HP to 5.0 HP Motor.
Supply Voltage : 190-270 VAC.
Relay : 30 A

This model is suitable for any Start/Stop Button Starter Panel.

Supported & Non supported
water pump starter



MCB TYPE STARTER


SUMP PUMPS



MOMOBLOCK PUMPS


CONTACTOR TYPE SUBMERSIBLE STARTER


DOL STARTER


STAR DELTA STARTER

WIRING DIAGRRAM



कंट्रोलर का कनेक्शन कैसे करे

1. स्टार्टर में आने वाली सप्लाई बंद करें |
2. स्टार्टिंग कंडेंसर को डिस्चार्ज करने के लिए स्टार्टर का स्टार्ट बटन दबाये |
3. लाइन टेस्टर से चेक कर ले की पावर बंद है |
4. कंट्रोलर जहाँ पर लिखा हुआ है स्टार्टर आउटपुट **(STARTER OUTPUT)** वहां से दो तार जोड़ कर एक तार को स्टार्टर पैनल के लाल और दुसरे को नीले से जोड़े |
5. कंट्रोलर जहाँ पर लिखा हुआ है स्टॉप स्विच सीरीज **(STOP SWITCH SERIES)** वहां से दो तार जोड़ कर स्टार्टर के लाल स्टॉप बटन के सीरीज में जोड़े |
6. कंट्रोलर की दोनों हरी तारो को पानी के टंकी में चित्र के हिसाब से अलग अलग लगाए |
7. तारो के जोड़ पर अच्छी तरह से टेप लगाएं |
8 .कंट्रोलर की गारंटी खरीद डेट से 12 महीने तक है सील टूटने पर गारंटी नहीं है |

Neotronix
Smart Technologies

Contact Us:

Nex-Tower, Okhla, New Delhi - 110025
Mob: +91- 9958502987
E-mail: connect@neotronixai.com